


# SPM-2018



International Conference  
**SCANNING PROBE MICROSCOPY**  
International Workshop  
**MODERN NANOTECHNOLOGIES**  
International Youth Conference  
**FUNCTIONAL IMAGING  
OF NANOMATERIALS**

August 26 – 29, 2018

*Ural Center for Shared Use “Modern Nanotechnologies”  
Institute of Natural Sciences and Mathematics  
Ural Federal University*

# Abstract book



УДК 538.9  
ББК 22.37  
С-423

**Scanning Probe Microscopy. Abstract Book of International Conference**  
(Ekaterinburg, August 26-29, 2018) Ekaterinburg, Ural Federal University, 2018- 233 c.  
ISBN 978-5-9500624-1-4

### Organizers

School of Natural Sciences and Mathematics, Ural Federal University  
named after the first President of Russia B.N. Yeltsin (UrFU)  
<http://www.urfu.ru>

Ural Center for Shared Use “Modern Nanotechnology” UrFU  
<http://nanocenter.urfu.ru>

Labfer Ltd.  
<http://www.labfer.com>

Ferroelectric Laboratory, INSM UrFU  
<http://labfer.ins.urfu.ru>

Laboratory for Nanoscale Ferroelectric Materials, INSM UrFU

### Conference chairmen

Prof. Vladimir Shur	Ekaterinburg, Russia
Prof. Viktor Mironov	Nizhny Novgorod, Russia

### Program committee

Prof. A.V. Ankudinov	Saint-Petersburg, Russia
Prof. A.A. Bukharaev	Kazan, Russia
Prof. V.A. Bykov	Zelenograd, Russia
Prof. S.A. Chizhik	Minsk, Belarus
Prof. A.L. Gruverman	Lincoln, USA
Prof. O.V. Kolosov	Lancaster, UK
Prof. A.L. Kholkin	Aveiro, Portugal
Prof. A.V. Latyshev	Novosibirsk, Russia
Prof. V.L. Mironov	Nizhny Novgorod, Russia
Prof. G.M. Mikhailov	Chernogolovka, Russia
Prof. A.A. Saranin	Vladivostok, Russia
Prof. V.Ya. Shur	Ekaterinburg, Russia
Dr. V.V. Shvartsman	Essen, Germany
Dr. A.P. Volodin	Leuven, Belgium
Prof. I.V. Yaminsky	Moscow, Russia

### Local organizing committee

Prof. Vladimir Shur	Ekaterinburg, Russia
Mrs. Elena Pelegova	Ekaterinburg, Russia
Dr. Dmitry Pelegov	Ekaterinburg, Russia
Mrs. Alevtina Shur	Ekaterinburg, Russia
Mrs. Ekaterina Shishkina	Ekaterinburg, Russia
Ms. Victoria Pryakhina	Ekaterinburg, Russia
Ms. Olga Dyachuk	Ekaterinburg, Russia

ISBN 978-5-9500624-1-4



9 785950 062414

ББК 22.37

Ural Federal University  
named after the first President  
of Russia B.N. Yeltsin

## SPM-2018 sponsors

Taylor and Francis Group  
<http://www.taylorandfrancis.com>



Russian Foundation for Basic Research  
<http://www.rfbr.ru/>



NT-MDT Spectrum Instruments  
<http://www.ntmdt-si.com>



INTERTECH Corporation  
<http://www.intertech-corp.ru/>



Promenergolab  
<http://www.czl.ru>



Ostec ArtTool  
<http://www.arttool.ru>



OPTEC  
<http://www.optecgroup.com/>



IMC Group  
<http://imc-systems.ru/>



MERCK  
<http://www.merckgroup.com>



## In-situ nanoindentation of titania microspheres with different crystallinity

V.A. Lebedev<sup>1</sup>, A.S. Poluboiarinov<sup>2</sup>, R.M. Sakaev<sup>3</sup>, V.I. Chelpanov<sup>4</sup>, D.A. Kozlov<sup>2</sup>,  
K.A. Khazova<sup>2</sup>, Ya.Yu. Philippov<sup>1,2,5</sup>, A.V. Khokhlov<sup>5</sup>, A.V. Garshev<sup>1,2,4</sup>

<sup>1</sup>Faculty of Chemistry, Lomonosov Moscow State University, Moscow, Russia  
vasya\_lebedev@mail.ru

<sup>2</sup>Faculty of Materials Science, Lomonosov Moscow State University, Moscow, Russia

<sup>3</sup>Department of Mechanics and Mathematics, Lomonosov Moscow State University, Moscow, Russia

<sup>4</sup>Baikov Institute of Metallurgy and Material Science RAS, Moscow, Russia

<sup>5</sup>Institute of Mechanics, Lomonosov Moscow State University, Moscow, Russia

Titania microspheres are the perspective object for the fabrication of high performance liquid chromatography (HPLC) columns. The usual material for this application are silica microspheres of  $\varnothing 1-10 \mu\text{m}$ . The proposed method of  $\text{Ti}(\text{nBuO})_4$  controlled hydrolysis allows one to obtain titania microspheres with high specific surface area (up to  $300 \text{ m}^2/\text{g}$ ), predefined size (from  $0.3$  to  $1.5 \mu\text{m}$ ) and narrow size distribution ( $\sigma$  ranging from  $10$  to  $15 \%$ , Fig. 1a). Initially amorphous particles present an opportunity to obtain materials with dissimilar crystallinity by choosing the appropriate treatments. Following treatments were used for partial crystallization of particles: annealing at  $400^\circ\text{C}$ , annealing at  $700^\circ\text{C}$ , hydrothermal treatment (HT), hydrothermal treatment with subsequent annealing at  $400^\circ\text{C}$ . Mechanical properties of the individual particles from the untreated and treated samples were measured *in-situ* with the use of the MEMS-based Hysitron PI-95 at Zeiss Libra 200MC TEM (Fig. 1b). Particles were sedimented on the silicon wedge ( $1 \mu\text{m}$  flat-top) by dry coating. Compression tests at constant rates under displacement and load control as well as cyclic loading with partial unloading were performed. Observation of the indentation processes were performed in HAADF-STEM mode, corresponding video data were acquired.

In order to perform graphical data treatment a Python-based software was developed. For the indenter tip tracking the Digital Image Correlation (DIC) method was used. Obtained data allows us to estimate the drift function with the use of theoretical and calculated displacements, and to quantify the shape evolution of the particles.

The reduced Young's module was evaluated implying axially symmetric deformation. It was demonstrated, that partially amorphous HT-processed  $\text{TiO}_2$  particles have a lesser strength limit in comparison with both the initial amorphous and annealed crystalline particles. This effect is presumably caused by the heterogeneous spatial distribution of the amorphous and crystalline phases in the HT-processed sample.




Figure 1. Titania microspheres, STEM: (a) before the indentation, (b) after the indentation.

This work was supported by the Lomonosov MSU Program of Development.